

---

# Nonlocal kinetic models for cell-cell adhesion

Nadia Loy<sup>\*1</sup>

<sup>1</sup>Politecnico di Torino [Torino] – Italy

## Abstract

In this talk we present a nonlocal kinetic model for cell-cell adhesion, i.e. the tendency of cells to form junctions between their membranes. We will deal with a transport equation with a nonlocal quadratic interacting operator which implements a velocity-jump process, that is the typical microscopic stochastic dynamics that describes cell motion. Moreover, we have nonlocality because we suppose that cells sense the environment by extending their protrusions up to a maximum sensing radius. Furthermore, the model can be enriched with the volume filling effect also introducing physical limits of migration, that is when cells cannot move because of overcrowding. In order to obtain physical results, the sensing radius determining the nonlocality depends on time, position and direction of sensing. A linear stability analysis in the one dimensional case will be performed. We analyse how the actual possible sensing of the environment influences the dynamics by recovering the appropriate macroscopic limits and by integrating numerically the kinetic transport equation.

N. Loy and L. Preziosi (2020). Kinetic models with non-local sensing determining cell polarization and speed according to independent cues, {Journal of Mathematical Biology}, volume 80, pages 373–421.

N.Loy and L.Preziosi (2020). Modelling physical limits of migration by a kinetic model with non-local sensing, {Journal of Mathematical Biology}, volume 80, pages 1759–1801.

N.Loy and L.Preziosi (2020). Stability of a non-local kinetic model with density dependent orientation bias, {Kinetic and Related Models}, volume 13(5), pages 1007–1027.

N.Loy and L.Preziosi (2020). Stability of a non-local kinetic model with density dependent speed, {Mathematical Medicine and Biology: A Journal of the IMA}, 00, 1–23

---

<sup>\*</sup>Speaker